

Maureen E. Dempsey, M.D. Director

P.O. Box 570, Jefferson City, MO 65102-0570 • 573-751-6400 • FAX 573-751-6010

March 23, 1998

Stephen McCracken Project Manager Department of Energy 7295 Highway 94 South St. Charles, MO 63304

RE: Weidon Spring Quarry Proposed Pian

Dear Mr. McCracken:

The Department of Health (MDOH) has reviewed the Proposed Plan and associated documents for the Weldon Springs Quarry Site in Weldon Spring, Mo. MDOH is encouraged by the decision of the US Department of Energy to take a proactive approach to reduce contamination north of the slough. Alternative 3, Groundwater Removal at Selected Areas, with On-Site Treatment, is acceptable to our office if the well contingency plan is determined to be protective of the St. Charles County water supply. MDOH requests the opportunity to review this plan before it's approval. As MDOH has stated in the past, our concern is for the continued protection of the St. Charles County well field, therefore, our office would like to be assured that there will be appropriate monitoring, action levels set, and a response plan in place to address any threat to the public water supply in the event of contamination progressing south of the slough.

We appreciate the opportunity to participate in this matter. If you have any questions, please contact Pam Holley at (573) 751-6111.

Singerely

Diréctor

Section of Environmental Public Health

dr/sc/ph

cc: Larry Erickson, MDNR

ginted by Ginny Burkhart

Author: Karen Reed at WSSRAP_TECH

Date: 4/28/97 10:32 AM

Priority: Normal

TO: Emily Heuer, Ginny Burkhart

Subject: Comments on Feasibility Study for Quarry

Andrea Wargo Campbell
Technical Support Division
U.S. Department of Energy
Oak Ridge Operations Office
200 Administration Road, SE-32
Oak Ridge, Tennessee 37831

Phone: (423) 576-9578 Fax: (423) 576-0746 Pager: (423) 564-7781

"We are too soon old and too late smart."
-Pennsylvania Dutch
Proverb